

ECM8PT



Műszaki adatok

Cikkszám	001101010
Leírás	ECM8PT
Osztály	Műanyag elosztó
Névleges áram	63
Névleges feszültség (V)	400
Szerelési mód	süllyesztett
IP védettség	IP40
Védelmi osztály	II
Modulszám (Összes/soronként)	8 / 8
Méret (Sorok száma)	1
Ajtó (anyag, szín)	Műanyag, átlátszó
Elosztó (anyag, szín)	Műanyag, fehér
PE/N sorkapcsok száma	8 / 8
Lángállóság (°C)	650

[Online product page](#)

Egyéb dokumentáció



Műszaki adatok katalógus
3D modell
Használati utasítás
EU nyilatkozat
Eplan fájl

ETIM nemzetközi osztályozás

Besorolás	EC000214
Osztály	Small distribution board
Mounting method	Flush-mounted (plaster)
Number of rows	1
Width in number of modular spacings	8
Housing material	Plastic
Height	232mm
Width	211mm
Depth	99mm
Built-in depth	68mm
DIN-rail	1
EMC-version	1
Colour	White
Degree of protection (IP)	IP40

Méreterajz

Flush mounted distribution board

type	Dimensions							Max. allowed power losses when Max. number of devices are installed	Static load
	A	B	C	D	E	F	G	Pde	
ECM4PT/ECM4PO	232 mm	139 mm	99 mm	-	123 mm	216 mm	69 mm	>10 W	520 g
ECM8PT/ECM8PO	232 mm	211 mm	99 mm	-	201 mm	212mm	68 mm	>16 W	1040 g
ECM12PT/ECM12PO	232 mm	283 mm	106 mm	-	273 mm	212 mm	68 mm	>25 W	1560 g
ECM18PT/ECM18PO	232 mm	392 mm	106 mm	-	382 mm	212 mm	68 mm	>25 W	2340 g
ECM24PT/ECM24PO	357 mm	283 mm	106 mm	125 mm	273 mm	336 mm	68 mm	>30 W	1560 g
ECM36PT/ECM36PO	482 mm	283 mm	106 mm	125 mm	273 mm	462 mm	68 mm	>30 W	1560 g
ECM48PT/ECM48PO	676 mm	283 mm	106 mm	125 mm	273 mm	656 mm	68 mm	>30 W	1560 g
ECM2x18PT/ECM2x18PO	357 mm	392 mm	106 mm	125 mm	382 mm	336 mm	68 mm	>30 W	2340 g
ECM3x18PT/ECM3x18PO	522 mm	392 mm	106 mm	125 mm	382 mm	502 mm	68 mm	>35 W	2340 g

