

# EU DECLARATION OF CONFORMITY

## No. 2A-EU-14/23-06

In accordance with EU directive 2014/35/EU as amended

We, **KOPOS KOLÍN a. s.**  
Havlíčkova 432  
280 02 Kolín  
Czech Republic  
IČ: 61672971  
DIČ: CZ61672971

declare under our sole responsibility that

the product/type: **Wiring trunkings and accessories**

manufacturer: **KOPOS KOLÍN a.s., Havlíčkova 432, Kolín IV, 280 02 Kolín, Czech Republic**

object of the declaration: Wiring trunkings are used for installing small distribution and low voltage.  
Wiring trunkings are delivered in lengths of 2 and 3 meters with +,- 0,5% tolerance.  
Material: PVC  
Temperature resistance: storage: -15°C to +60°C  
Temperature resistance: assembly: -5°C to +60°C  
Resistance to spread of flame: non-flame  
Hot loop test 850°C for moldings, window sill ducts and accessories

The object of the declaration described above is in conformity with the relevant Union harmonisation legislation, other legislation and regulations:

| Regulations Of the European Union | Government Regulations                              | Standards   | Certificates and Test Reports  | Other technical specification  |
|-----------------------------------|---|---|--|--|
| 2014/35/EU - VD                   | Law No. 90/2016 Coll. as amended                    | ČSN EN50085- 1 ed. 2:06+A1:14 čl. 11.2.4 including amendments (EN 50085-1:05 including amendments)  | Test report No. 222187-01/01 of 26.10.2022<br><br>Issued by: Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic | LHD 17x17, LKZ 15x12, PK 90x55D  |
|                                   | Government Regulation No. 118/2016 Coll. as amended |   | EN ISO 846 method A  | Test report No. AZL 22/0199-01 of 6.4.2022<br><br>Issued by: Textilní zkušební ústav, s.p. Cejl 480/12, 602 00 Brno, Česká republika |
|                                   |   | ČSN EN 50085- 1 ed. 2:06+A1:14 čl. 11.2.4 including amendments (EN 50085-1:05 including amendments) | Test report No. 212288-01/01 of 20.10.2021<br><br>Issued by: Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic | LV 24x22<br>LP 35<br>PK 16x65D   |

|  |  |  |  |
|--|--|--|--|
|  | <p><b>ČSN EN 50085- 1 ed. 2:06</b> including amendments (<b>EN 50085-1:05</b> including amendments)<br/> <b>ČSN EN 50085-2-1:07</b> including amendments (<b>EN 50085-2-1:06</b> including amendments)</p> | <p>Test report No.<b>211507-01/01 of 30.7.2021</b></p> <p><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic</p>  | <p><b>LO 35</b><br/> <b>LO 50</b><br/> <b>LO 75</b></p> <p><b>Test according to EN 50085-1 ed. 2 Article 11.2.4 Test according to EN 50085-1 ed. 2 art.6.102.1-500N for LO 50 and LO 75 according to 6.102.3-1000N for LO 35 According to art.6.103.1-2000N for LO35, LO50, LO75. According to Article 14.1-IP 40 for LO35, LO 50, LO75.</b></p> <p><b>Note 1)</b></p> |
|  | <p><b>ČSN EN 50085- 1 ed. 2:06+A1:14 čl. 11.2.4</b> including amendments (<b>EN 50085-1:05</b> including amendments)</p>   | <p>Test report No. <b>021981-01/01 of 14.9.2020</b></p> <p><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic</p>   | <p><b>LV 11x10, EKD 100x40, LE 100, LP 80x25, PK 140x70 D, LZ 15x12, LH 60x40, LHD 20x20, LO 35. EKE 60x60- Test according EN 50085-1 ed. 2 article.11.2.4</b></p>   |
|  | <p><b>ČSN EN 50085- 1 ed. 2:06</b> including amendments (<b>EN 50085-1:05</b> including amendments)<br/> <b>ČSN EN 50085-2-1:07</b> including amendments (<b>EN 50085-2-1:06</b> including amendments)</p> | <p>Test Report No. <b>911224-01/01 of 28.8.2019</b></p> <p><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic</p>   | <p><b>LHD 17x17, PK 110x70</b></p>   |
|  | <p><b>ČSN EN 50085- 1 ed. 2:06</b> including amendments (<b>EN 50085-1:05</b> including amendments)<br/> <b>ČSN EN 50085-2-1:07</b> including amendments (<b>EN 50085-2-1:06</b> including amendments)</p> | <p>Test Report No. <b>801481-01/01 of 13.6.2018</b></p> <p><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic</p> <p>Test Report No. <b>605023-01/01 of 29.12.2016</b></p> <p><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic</p> | <p><b>Testing of ESC branded products – LH 60x40 HD</b></p> <p><b>Note 2)</b></p>  |

|  |   |  |  |
|--|---|--|--|
|  | <p><b>ČSN EN 50085-1 ed.1:06</b> including amendments<br/><b>(EN 50085-1:06</b> including amendments)<br/><b>ČSN EN 50085-2-1:07</b> including amendments<br/><b>(EN 50085-2-1:07</b> including amendments)</p> | <p>Test Report No. <b>605783-01/01</b> of <b>28.02.2017</b></p> <p><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic</p> | <p><b>KP 80 PK</b></p>   |
|  | <p><b>ČSN EN 50085-1 ed.2:06, ČSN EN 50085-2-1:07+A1:12 čl. 10.3.2.101</b></p>  | <p>Test Report No. <b>404506-01/01</b> of <b>16.1.2015</b></p> <p><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic</p>  | <p><b>LHD 40x40</b></p> <p>Note 3)</p>   |
|  | <p><b>ČSN EN 50085-1 ed.2:06, ČSN EN 50085-2-1:07+A1:12, IEC 61084-1:91+A1:99, IEC61084-2-1:96</b></p>  | <p>Test Report No. <b>305645-01/01</b> of <b>18.12.2013</b></p> <p><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic</p> | <p><b>LV, LZ, LZK, LHD, LH, LE, EK, EKE, EKD, PK, LO, LP, LPK, LR,L</b></p> <p>Note 4)</p> |
|  | <p><b>ČSN EN 50085-1:97, ČSN EN 50085-1:06ed.2, ČSN EN 50085-2-1:97, ČSN EN 50085-2-1:07</b></p>  | <p>Test Report No. <b>900709-01/03</b> of <b>1.4.2009</b></p> <p><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic</p>   | <p><b>EKD 80x40, EKD 100x40, EKD120x40</b></p> <p>Note 5)</p>                              |
|  | <p><b>ČSN EN 50085-1:97+A:99, ČSN 50085-1:06 ed.2, EN 50085-2-1:97, ČSN EN 50085-2-1:07, IEC 61084-1:97+A1:93, IEC 61084-2-1:96</b></p>   | <p>Test Report No. <b>800448-01/01B</b> of <b>26.3.2008</b></p> <p><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic</p> | <p><b>LZ 15x12</b></p> <p>Note 6)</p>  |
|  | <p><b>ČSN EN 50085-1:97+A:99, ČSN 50085-1:06 ed.2, EN 50085-2-1:97, ČSN EN 50085-2-1:07, IEC 61084-1:97+A1:93, IEC 61084-2-1:96</b></p>   | <p>Test Report No. <b>800448-01/01D</b> of <b>26.3.2008</b></p> <p><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic</p> | <p><b>LE100</b></p> <p>Note 7)</p>   |
|  | <p><b>ČSN EN 50085-1:97+A:99, ČSN 50085-1:06 ed.2, EN 50085-2-1:97, ČSN EN 50085-2-1:07, IEC 61084-1:97+A1:93, IEC 61084-2-1:96</b></p>   | <p>Test Report No. <b>800448-01/01E</b> of <b>26.3.2008</b></p> <p><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic</p> | <p><b>EK 100x40</b></p> <p>Note 8)</p>   |

|  |  |   |   |
|--|--|---|---|
|  | <p>ČSN EN 50085-1:97+A:99, ČSN 50085-1:06 ed.2, EN 50085-2-1:97, ČSN EN 50085-2-1:07, IEC 61084-1:97+A1:93, IEC 61084-2-1:96</p> | <p>Test Report No. <b>800448-01/01F</b> of 26.3.2008</p> <p><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic</p> | <p><b>PK 140x70</b></p> <p>Note 9)</p>  |
|  | <p>ČSN EN 50085-1:97+A:99, ČSN 50085-1:06 ed.2, EN 50085-2-1:97, ČSN EN 50085-2-1:07, IEC 61084-1:97+A1:93, IEC 61084-2-1:96</p> | <p>Test Report No. <b>800448-01/01G</b> of 26.3.2008</p> <p><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic</p> | <p><b>LP 80x25</b></p> <p>Note 10)</p>  |
|  | <p>ČSN EN 50085-1:97+A:99, ČSN 50085-1:06 ed.2, EN 50085-2-1:97, ČSN EN 50085-2-1:07, IEC 61084-1:97+A1:93, IEC 61084-2-1:96</p> | <p>Test Report No. <b>800448-01/01H</b> of 26.3.2008</p> <p><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic</p> | <p><b>L20, L40, L70</b></p> <p>Note11)</p>  |
|  | <p>ČSN EN 60529:93+A1:01+A2:14 including amendments</p>  | <p>Test Report No. <b>701828-01/02</b> of 19.7.2017</p> <p><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic</p>  | <p><b>Test IP40:</b><br/> <b>LZ 15x12</b><br/> <b>LZK 15x12</b><br/> <b>LHD 50x20/1</b><br/> <b>LHD 50x20/2</b><br/> <b>LE 40</b><br/> <b>LE 60</b><br/> <b>LE 80</b><br/> <b>LE 100</b><br/> <b>EKE 100x60</b><br/> <b>EKE 140x60</b><br/> <b>EKD 80x40</b><br/> <b>EKD 120x40</b><br/> <b>PK 110x65 D</b><br/> <b>LO 35</b><br/> <b>LO 50</b><br/> <b>LO 75</b><br/> <b>LP 35</b><br/> <b>LPK 80x25</b><br/> <b>LR 30</b><br/> <b>L 40</b><br/> <b>L 70</b></p> <p><b>IP 40 covers these types of moldings and channels (see above) made of PC+ABS based on the same product design. This test applies to products made from both materials. From PC/ABS were tested: LHD 40x40 HF PK 110x70 D HF</b></p> |

|  |   |   |   |
|--|---|---|---|
|  | <b>ČSN EN 1127-1:2012</b><br>including amendments<br><b>ČSN CLC/TR 60079-32-1:2016</b> including amendments | Certificate No. <b>FTZÚ 06 Ex 0043</b> of <b>14.9.2016</b><br><br><b>Issued by:</b> Fyzikálně technický zkušební ústav, Ostrava-Radvanice, státní podnik, Pikartká 7, 716 07 Ostrava Radvanice  | <b>For series:</b><br><b>LV, LH, LZ, LE, LP, LR, LO, EK, PK, LPK, LZK, LHD, EKE</b>   |
|  | <b>ČSN EN 50085-1 ed.2:06</b><br>čl. <b>10.3.2</b> including amendments<br><br><b>ČSN EN ISO 4892-2</b>     | Test Report No. <b>301741-01/02</b> of <b>31.5.2013</b><br><br><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic<br><br>Test Report - <b>Accelerated ageing of 2.3.2010</b><br><br><b>Issued by:</b> POLYMER INSTITUTE BRNO, s.r.o. Speciální materiály/Materiálový výzkum Tkalcovská 36/2, 656 49 BRNO | <b>Trunking PVC – Test of impact before and after accelerated ageing with UV and IR light</b><br><br><b>UV stability – Trunking PVC</b> |
|  | <b>ČSN EN 62262:97</b>  | Test Report No. <b>501073-01/03</b> of <b>29.4.2015</b><br><br><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic  | <b>IK 06</b><br><b>LV 40x15</b>   |
|  | <b>ČSN EN 62262:97</b>  | Test Report No. <b>501073-01/01</b> of <b>31.3.2015</b><br><br><b>Issued by:</b> Electrotechnical Testing Institute, Pod Lisem 129, 171 02 Prague 71, Czech Republic  | <b>IK CODE:</b><br><b>LHD 20X20 – IK 06</b><br><b>LO 35 HA – IK 07</b><br><b>PK 90x55 D – IK 07</b>                                     |
|  | <b>ČSN CISPR 17:2000, čl. 4.1,A.1.3,A.1.4</b>   | Test Report No. <b>P/07/01/15</b> of <b>22.5.2007</b><br><br><b>Issued by:</b> ABEGU, a.s.ZKUŠEBNA Popelnická 446, 468 41 Tanvald   | <b>Clamp</b><br><b>PEP 60/K</b>   |
|  | <b>ČSN IEC 69-1+A2:1997</b><br><b>ČSN EN 61000-4-4:1997</b><br><b>ČSN EN 61000-4-5:1997</b>                 | Test Report No. <b>P/99/01/22</b> of <b>26.11.1999</b><br><br><b>Issued by:</b> ABEGU, a.s.ZKUŠEBNA Popelnická 446, 468 41 Tanvald  | <b>Set PK 140x70 with screening cover</b>   |

|                   |  |  |  |
|-------------------|--|--|--|
|                   | ČSN 74 7010-82:1997, čl. 3.7<br>ČSN IEC 816:1994, čl. 5.5.1.2, 6.1 | Test Report No. P/03/01/26 of 8.8.2003<br><br>Issued by: ABEGU, a.s.ZKUŠEBNA<br>Popelnická 446, 468 41 Tanvald | Cable trunking PK../.., EKE../.., EK../.., with screening cover SK 40x20, 40x33                    |
|                   | ČSN EN 50085-1   | Internal Test Report No. 006/2021 of 16.02.2021  | KP 80 PK   |
|                   | ČSN EN 50085-1, ČSN EN 60695-2-11, ČSN EN 60695-2-4/1              | Test Report No. 035/2021 of 2.8.2021   | Window sill channel PK 90x55D- innovation  |
|                   | ČSN EN 50085-1, ČSN EN 50085-2-2, ČSN EN 60695-2-11                | Test report No. 042/2021 of 26.8.2021  | LO 50 LD   |
|                   | ČSN EN 50085-1, ČSN EN 50085-2-2, ČSN EN 60695-2-11                | Test report No. 041/2021 of 27.8.2021  | LO 50 HD   |
|                   | ČSN EN 50085-1   | Test report No. 38/2021 of 15.7.2021   | Tested strips, ducts and accessories made of PVC-compliant 850 ° C hot loop                        |
|                   | ČSN EN 50085-1, ČSN EN 60529                                       | Test report No. 36b/2021 of 25.7.2021  | PVC rails, ducts and accessories - test with IP protection, see in detail. Annex to this statement |
|                   | ČSN EN 50085-1, ČSN EN 60695-2-11, ČSN EN 60695-2-4/1              | Test Report No. 051/2021 of 29.9.2021  | LHD 40x40, bar tested for mechanical properties - impact test, external influences - IP test       |
| 1907/2006 - REACH |  |  | Safety and material data sheets of used materials  |

By fulfilling the conditions in accordance with these regulations was placed on the product CE marking.


Conformity assessment module: **MODUL A: Internal production control**

**Technical documentation of products:**

- assembly instructions
- Datasheet
- Catalog for products freely available on <http://www.kopos.com/en/catalogy>
- Internal documents

KOPOS KOLÍN a.s. company is certificated according to the standard ISO 9001:2015, ISO 14001:2015 and ISO 50001:2018 and according to the National program „Safety Enterprise“.

Signed on behalf of KOPOS KOLÍN a.s.

KOPOS KOLÍN a.s.   
Havlíčková 432, 280 02 Kolín  
IČ: 616 72 971 DIČ: CZ61672971  
tel: 321 730 111 [www.kopos.cz](http://www.kopos.cz)



Place of issue: Kolín, Czech Republic  
Date of issue: 12.06.2023

Ing. Jana Dejmková  
quality director

**Enclosure No. 1 to EU Conformity Declaration No. 2A-EU-14/23-06**

**Trunkings and accessories**

| Name           | Type     | Impact strength    | Accessories - name     | Type   |
|----------------|----------|--------------------|------------------------|--------|
| Cable trunking | LV 11x10 | 0,5J <sup>4)</sup> |                        |        |
| Cable trunking | LV 18x13 | 0,5J <sup>4)</sup> | end                    | 8731   |
|                |          |                    | connecting             | 8732   |
|                |          |                    | bending                | 8733   |
|                |          |                    | branching              | 8734   |
|                |          |                    | Internal corner        | 8735   |
|                |          |                    | External corner        | 8736   |
|                |          |                    | bending radius         | 8733 R |
|                |          |                    | branching radius       | 8734 R |
|                |          |                    | Internal corner radius | 8735 R |
|                |          |                    | External corner radius | 8736 R |
|                |          |                    | trough                 | 8737   |
|                |          |                    |                        | 8738   |
|                |          |                    |                        | 8739   |
|                |          |                    | Trough elevated        | 8737Z  |
|                |          |                    |                        | 8738Z  |
|                |          |                    |                        | 8739Z  |
| Cable trunking | LV 24x22 | 0,5J <sup>4)</sup> | End                    | 8791   |
|                |          |                    | connecting             | 8792   |
|                |          |                    | Bending                | 8793   |
|                |          |                    | branching              | 8794   |
|                |          |                    | Internal corner        | 8795   |
|                |          |                    | External corner        | 8796   |
|                |          |                    | bending radius         | 8793R  |
|                |          |                    | branching radius       | 8794R  |
|                |          |                    | Internal corner radius | 8795R  |
|                |          |                    | External corner radius | 8796R  |
|                |          |                    | trough                 | 8797   |
|                |          |                    |                        | 8798   |
|                |          |                    |                        | 8799   |
|                |          |                    | Trough elevated        | 8797Z  |
|                |          |                    |                        | 8798Z  |
|                |          |                    |                        | 8799Z  |
| Cable trunking | LV 40x15 | 0,5J <sup>4)</sup> | end                    | 8711   |
|                |          |                    | connecting             | 8714   |
|                |          |                    | bending                | 8716   |
|                |          |                    | branching              | 8715   |
|                |          |                    | Internal corner        | 8713/2 |
|                |          |                    | External corner        | 8712/2 |
|                |          |                    | bending radius         | 8716R  |

|                |          |                    |                        |                         |
|----------------|----------|--------------------|------------------------|-------------------------|
|                |          |                    | branching radius       | 8715R                   |
|                |          |                    | Internal corner radius | 8713/2R                 |
|                |          |                    | External corner radius | 8712/2R                 |
|                |          |                    | spacer                 | RLV 40x15<br>RLV 40x16  |
|                |          |                    | trough                 | 8719<br>8717<br>8718    |
|                |          |                    | Trough elevated        | 8719Z<br>8717Z<br>8718Z |
| Cable trunking | LV 40x40 | 0,5J <sup>4)</sup> | end                    | 8721                    |
|                |          |                    | connecting             | 8722                    |
|                |          |                    | bending                | 8723                    |
|                |          |                    | branching              | 8724                    |
|                |          |                    | Internal corner        | 8725                    |
|                |          |                    | External corner        | 8726                    |
|                |          |                    | bending radius         | 8723R                   |
|                |          |                    | branching radius       | 8724R                   |
|                |          |                    | Internal corner radius | 8725R                   |
|                |          |                    | External corner radius | 8726R                   |
|                |          |                    | trough                 | 8727<br>8728<br>8729    |
|                |          |                    | Trough elevated        | 8727Z<br>8728Z<br>8729Z |
|                |          |                    | spacer                 | RLV 40x40               |
| Cable trunking | LV 60x40 | 0,5J <sup>4)</sup> | end                    | 8741                    |
|                |          |                    | connecting             | 8742                    |
|                |          |                    | bending                | 8743                    |
|                |          |                    | branching              | 8744                    |
|                |          |                    | Internal corner        | 8745                    |
|                |          |                    | External corner        | 8746                    |
|                |          |                    | bending radius         | 8743R                   |
|                |          |                    | branching radius       | 8744R                   |
|                |          |                    | Internal corner radius | 8745R                   |
|                |          |                    | External corner radius | 8746R                   |
|                |          |                    | trough                 | 8747<br>8748<br>8749    |
|                |          |                    | Trough elevated        | 8747Z<br>8748Z<br>8749Z |
|                |          |                    | spacer                 | RLV 60x40               |
| Cable trunking | LZ 15x12 | 1J <sup>6)</sup>   | end                    | 8811                    |
|                |          |                    | connecting             | 8812                    |
|                |          |                    | bending                | 8813                    |
|                |          |                    | branching              | 8814                    |



|                        |       |
|------------------------|-------|
| Internal corner        | 8815  |
| External corner        | 8816  |
| bending radius         | 8813R |
| branching radius       | 8814R |
| Internal corner radius | 8815R |
| External corner radius | 8816R |
| trough                 | 8817  |
|                        | 8818  |
|                        | 8819  |
| Trough elevated        | 8817Z |
|                        | 8818Z |
|                        | 8819Z |

|                |           |                  |                        |       |
|----------------|-----------|------------------|------------------------|-------|
| Cable trunking | LZK 15x12 | 1J <sup>6)</sup> | End                    | 8801  |
|                |           |                  | connecting             | 8802  |
|                |           |                  | Bending                | 8803  |
|                |           |                  | branching              | 8804  |
|                |           |                  | Internal corner        | 8805  |
|                |           |                  | External corner        | 8806  |
|                |           |                  | bending radius         | 8803R |
|                |           |                  | branching radius       | 8804R |
|                |           |                  | Internal corner radius | 8805R |
|                |           |                  | External corner radius | 8806R |
|                |           |                  | trough                 | 8807  |
|                |           |                  |                        | 8808  |
|                |           |                  |                        | 8809  |
|                |           |                  | Trough elevated        | 8807Z |
|                | 8808Z     |                  |                        |       |
|                | 8809Z     |                  |                        |       |

|                |           |                    |                        |       |
|----------------|-----------|--------------------|------------------------|-------|
| Cable trunking | LHD 17x15 | 0,5J <sup>3)</sup> | end                    | 8941  |
|                |           |                    | connecting             | 8942  |
|                |           |                    | bending                | 8943  |
|                |           |                    | branching              | 8944  |
|                |           |                    | Internal corner        | 8945  |
|                |           |                    | External corner        | 8946  |
|                |           |                    | bending radius         | 8943R |
|                |           |                    | branching radius       | 8944R |
|                |           |                    | Internal corner radius | 8945R |
|                |           |                    | External corner radius | 8946R |
|                |           |                    | trough                 | 8947  |
|                |           |                    |                        | 8948  |
|                |           |                    |                        | 8949  |
|                |           |                    | Trough elevated        | 8947Z |
|                | 8948Z     |                    |                        |       |
|                | 8949Z     |                    |                        |       |

|                |           |                    |                |      |
|----------------|-----------|--------------------|----------------|------|
| Cable trunking | LHD 17x17 | 0,5J <sup>3)</sup> | end            | 8671 |
|                |           |                    | connecting     | 8672 |
|                |           |                    | bending        | 8673 |
|                |           |                    | branching      | 8674 |
|                |           |                    | internalcorner | 8675 |

|                |           |                    |                        |       |
|----------------|-----------|--------------------|------------------------|-------|
|                |           |                    | External corner        | 8676  |
|                |           |                    | bending radius         | 8673R |
|                |           |                    | branching radius       | 8674R |
|                |           |                    | Internal corner radius | 8675R |
|                |           |                    | External corner radius | 8676R |
|                |           |                    | trough                 | 8677  |
|                |           |                    |                        | 8678  |
|                |           |                    |                        | 8679  |
|                |           |                    | trough elevated        | 8677Z |
|                |           |                    |                        | 8678Z |
|                |           |                    |                        | 8679Z |
| Cable trunking | LHD 20x10 | 0,5J <sup>3)</sup> | end                    | 8921  |
|                |           |                    | connecting             | 8922  |
|                |           |                    | bending                | 8923  |
|                |           |                    | branching              | 8924  |
|                |           |                    | Internal corner        | 8925  |
|                |           |                    | External corner        | 8926  |
|                |           |                    | bending radius         | 8923R |
|                |           |                    | branching radius       | 8924R |
|                |           |                    | Internal corner radius | 8925R |
|                |           |                    | External corner radius | 8926R |
|                |           |                    | trough                 | 8927  |
|                |           |                    |                        | 8928  |
|                |           |                    |                        | 8929  |
|                |           |                    | Trough elevated        | 8927Z |
|                |           |                    |                        | 8928Z |
|                |           |                    |                        | 8929Z |
| Cable trunking | LHD 20x20 | 0,5J <sup>3)</sup> | end                    | 8621  |
|                | LH 20x20  | 0,5J <sup>2)</sup> | connecting             | 8622  |
|                |           |                    | bending                | 8623  |
|                |           |                    | branching              | 8624  |
|                |           |                    | Internal corner        | 8625  |
|                |           |                    | External corner        | 8626  |
|                |           |                    | bending radius         | 8623R |
|                |           |                    | branching radius       | 8624R |
|                |           |                    | Internal corner radius | 8625R |
|                |           |                    | External corner radius | 8626R |
|                |           |                    | trough                 | 8627  |
|                |           |                    |                        | 8628  |
|                |           |                    |                        | 8629  |
|                |           |                    | Trough elevated        | 8627Z |
|                |           |                    |                        | 8628Z |
|                |           |                    |                        | 8629Z |
| Cable trunking | LHD 25x15 | 0,5J <sup>3)</sup> | end                    | 8691  |
|                |           |                    | connecting             | 8692  |
|                |           |                    | bending                | 8693  |
|                |           |                    | branching              | 8694  |
|                |           |                    | Internal corner        | 8695  |

|                        |       |
|------------------------|-------|
| External corner        | 8696  |
| bending radius         | 8693R |
| branching radius       | 8694R |
| Internal corner radius | 8695R |
| External corner radius | 8696R |
| trough                 | 8697  |
|                        | 8698  |
|                        | 8699  |
| Trough elevated        | 8697Z |
|                        | 8698Z |
|                        | 8699Z |

|                |           |                    |                        |       |
|----------------|-----------|--------------------|------------------------|-------|
| Cable trunking | LHD 25x20 | 0,5J <sup>3)</sup> | end                    | 8911  |
|                |           |                    | connecting             | 8912  |
|                |           |                    | bending                | 8913  |
|                |           |                    | branching              | 8914  |
|                |           |                    | Internal corner        | 8915  |
|                |           |                    | External corner        | 8916  |
|                |           |                    | bending radius         | 8913R |
|                |           |                    | branching radius       | 8914R |
|                |           |                    | Internal corner radius | 8915R |
|                |           |                    | External corner radius | 8916R |
|                |           |                    | trough                 | 8917  |
|                |           |                    |                        | 8918  |
|                |           |                    |                        | 8919  |
|                |           |                    | Trough elevated        | 8917Z |
|                | 8918Z     |                    |                        |       |
|                | 8919Z     |                    |                        |       |

|                |           |                    |                        |       |
|----------------|-----------|--------------------|------------------------|-------|
| Cable trunking | LHD 30x25 | 0,5J <sup>3)</sup> | end                    | 8931  |
|                |           |                    | connecting             | 8932  |
|                |           |                    | bending                | 8933  |
|                |           |                    | branching              | 8934  |
|                |           |                    | Internal corner        | 8935  |
|                |           |                    | External corner        | 8936  |
|                |           |                    | bending radius         | 8933R |
|                |           |                    | branching radius       | 8934R |
|                |           |                    | Internal corner radius | 8935R |
|                |           |                    | External corner radius | 8936R |
|                |           |                    | trough                 | 8937  |
|                |           |                    |                        | 8938  |
|                |           |                    |                        | 8939  |
|                |           |                    | Trough elevated        | 8937Z |
|                | 8938Z     |                    |                        |       |
|                | 8939Z     |                    |                        |       |

|                |           |                    |                 |      |
|----------------|-----------|--------------------|-----------------|------|
| Cable trunking | LHD 32x15 | 0,5J <sup>3)</sup> | end             | 8601 |
|                |           |                    | connecting      | 8602 |
|                |           |                    | bending         | 8603 |
|                |           |                    | branching       | 8604 |
|                |           |                    | Internal corner | 8605 |
|                |           |                    | External corner | 8606 |

|                |           |                    |                        |       |
|----------------|-----------|--------------------|------------------------|-------|
|                |           |                    | bending radius         | 8603R |
|                |           |                    | branching radius       | 8604R |
|                |           |                    | Internal corner radius | 8605R |
|                |           |                    | External corner radius | 8606R |
|                |           |                    | trough                 | 8607  |
|                |           |                    |                        | 8608  |
|                |           |                    |                        | 8609  |
|                |           |                    | Trough elevated        | 8607Z |
|                |           |                    |                        | 8608Z |
|                |           |                    |                        | 8609Z |
| Cable trunking | LH 15x10  | 0,5J <sup>2)</sup> | end                    | 8681  |
|                |           |                    | connecting             | 8682  |
|                |           |                    | bending                | 8683  |
|                |           |                    | branching              | 8684  |
|                |           |                    | Internal corner        | 8685  |
|                |           |                    | External corner        | 8686  |
|                |           |                    | bending radius         | 8683R |
|                |           |                    | branching radius       | 8684R |
|                |           |                    | Internal corner radius | 8685R |
|                |           |                    | External corner radius | 8686R |
|                |           |                    | trough                 | 8687  |
|                |           |                    |                        | 8688  |
|                |           |                    |                        | 8689  |
|                |           |                    | Trough elevated        | 8687Z |
|                |           |                    |                        | 8688Z |
|                |           |                    |                        | 8689Z |
| Cable trunking | LH 40x20  | 0,5J <sup>2)</sup> | end                    | 8631  |
|                | LHD 40x20 | 0,5J <sup>3)</sup> | connecting             | 8632  |
|                |           |                    | bending                | 8633  |
|                |           |                    | branching              | 8634  |
|                |           |                    | Internal corner        | 8635  |
|                |           |                    | External corner        | 8636  |
|                |           |                    | bending radius         | 8633R |
|                |           |                    | branching radius       | 8634R |
|                |           |                    | Internal corner radius | 8635R |
|                |           |                    | External corner radius | 8636R |
|                |           |                    | trough                 | 8637  |
|                |           |                    |                        | 8638  |
|                |           |                    |                        | 8639  |
|                |           |                    | Trough elevated        | 8637Z |
|                |           |                    |                        | 8638Z |
|                |           |                    |                        | 8639Z |
| Cable trunking | LH 40x40  | 0,5J <sup>2)</sup> | end                    | 8641  |
|                | LHD 40x40 | 0,5J <sup>3)</sup> | connecting             | 8642  |
|                |           |                    | bending                | 8643  |
|                |           |                    | branching              | 8644  |
|                |           |                    | Internal corner        | 8645  |
|                |           |                    | External corner        | 8646  |
|                |           |                    | bending radius         | 8643R |

|                        |       |
|------------------------|-------|
| branching radius       | 8644R |
| Internal corner radius | 8645R |
| External corner radius | 8646R |
| trough                 | 8647  |
|                        | 8648  |
|                        | 8649  |
| Trough elevated        | 8647Z |
|                        | 8648Z |
|                        | 8649Z |

|                |           |                    |                 |      |
|----------------|-----------|--------------------|-----------------|------|
| Cable trunking | LHD 50x20 | 0,5J <sup>3)</sup> | end             | 8991 |
|                |           |                    | connecting      | 8992 |
|                |           |                    | bending         | 8993 |
|                |           |                    | branching       | 8994 |
|                |           |                    | Internal corner | 8995 |
|                |           |                    | External corner | 8996 |
|                |           |                    | trough          | 8999 |

|                |             |                    |                 |      |
|----------------|-------------|--------------------|-----------------|------|
| Cable trunking | LHD 50x20/1 | 0,5J <sup>3)</sup> | end             | 8991 |
|                |             |                    | connecting      | 8992 |
|                |             |                    | bending         | 8993 |
|                |             |                    | branching       | 8994 |
|                |             |                    | Internal corner | 8995 |
|                |             |                    | External corner | 8996 |
|                |             |                    | trough          | 8999 |

|                |             |                    |                 |      |
|----------------|-------------|--------------------|-----------------|------|
| Cable trunking | LHD 50x20/2 | 0,5J <sup>3)</sup> | end             | 8991 |
|                |             |                    | connecting      | 8992 |
|                |             |                    | bending         | 8993 |
|                |             |                    | branching       | 8994 |
|                |             |                    | Internal corner | 8995 |
|                |             |                    | External corner | 8996 |
|                |             |                    | trough          | 8999 |

|                |           |                    |                        |       |
|----------------|-----------|--------------------|------------------------|-------|
| Cable trunking | LH 60x40  | 0,5J <sup>2)</sup> | end                    | 8651  |
|                |           |                    | connecting             | 8652  |
|                |           |                    | bending                | 8653  |
|                |           |                    | branching              | 8654  |
|                |           |                    | Internal corner        | 8655  |
|                |           |                    | External corner        | 8656  |
|                |           |                    | bending radius         | 8653R |
|                |           |                    | branching radius       | 8654R |
|                |           |                    | Internal corner radius | 8655R |
|                |           |                    | External corner radius | 8656R |
|                |           |                    | trough                 | 8657  |
|                |           |                    |                        | 8658  |
|                |           |                    |                        | 8659  |
|                |           |                    | Trough elevated        | 8657Z |
|                |           |                    |                        | 8658Z |
|                | 8659Z     |                    |                        |       |
| spacer         | RLH 60x40 |                    |                        |       |

|                           |                        |  |                           |           |
|---------------------------|------------------------|--|---------------------------|-----------|
| Cable trunking            | LH 80x40 P<br>LH 80x40 | 0,5J <sup>2)</sup><br>0,5J <sup>2)</sup> | partition walls           | PEK 40    |
|                           |                        |  | end                       | 8661      |
|                           |                        |  | connecting                | 8662      |
|                           |                        |  | bending                   | 8663      |
|                           |                        |  | branching                 | 8664      |
|                           |                        |  | Internal corner           | 8665      |
|                           |                        |  | External corner           | 8666      |
|                           |                        |  | bending radius            | 8663R     |
|                           |                        |  | branching radius          | 8664R     |
|                           |                        |  | Internal corner radius    | 8665R     |
|                           |                        |  | External corner radius    | 8666R     |
|                           |                        |  | trough                    | 8667      |
|                           |                        |  |                           | 8668      |
|                           |                        |  |                           | 8669      |
|                           |                        |  | Trough elevated           | 8667Z     |
|                           |                        |  |                           | 8668Z     |
|                           |                        |  |                           | 8669Z     |
|                           |                        |  | spacer                    | RLH 80x40 |
|                           |                        |  | partition walls           | PEK 40    |
|                           |                        |  | Cable trunking<br>Elegant | LE 40     |
| connecting                | 8752                   |  |                           |           |
| bending                   | 8753                   |  |                           |           |
| branching                 | 8754                   |  |                           |           |
| Internal corner           | 8755                   |  |                           |           |
| External corner           | 8756                   |  |                           |           |
| bending radius            | 8753R                  |  |                           |           |
| branching radius          | 8754R                  |  |                           |           |
| Internal corner radius    | 8755R                  |  |                           |           |
| External corner radius    | 8756R                  |  |                           |           |
| grommet                   | 8757                   |  |                           |           |
|                           | 8758                   |  |                           |           |
|                           | 8759                   |  |                           |           |
| Trough elevated           | 8757Z                  |  |                           |           |
|                           | 8758Z                  |  |                           |           |
|                           | 8759Z                  |  |                           |           |
| spacer                    | RLE 40                 |  |                           |           |
| blind                     | ZPNE 40                |  |                           |           |
|                           | ZPNE 40x20             |  |                           |           |
|                           | PNEV                   |  |                           |           |
|                           | 40x20Z                 |  |                           |           |
| Cable trunking<br>Elegant | LE 60                  | 1J <sup>7)</sup>                         | end                       | 8761      |
|                           |                        |  | connecting                | 8762      |
|                           |                        |  | bending                   | 8763      |
|                           |                        |  | branching                 | 8764      |
|                           |                        |  | Internal corner           | 8765      |
|                           |                        |  | External corner           | 8766      |

|                        |           |
|------------------------|-----------|
| bending radius         | 8763R     |
| branching radius       | 8764R     |
| Internal corner radius | 8765R     |
| External corner radius | 8766R     |
| grommet                | 8767      |
|                        | 8768      |
|                        | 8769      |
| Trough elevated        | 8767Z     |
|                        | 8768Z     |
|                        | 8769Z     |
| branching transition   | 8767/40   |
| spacer                 | RLE 60    |
| blind                  | ZPNE60    |
|                        | ZPNE60x20 |

**Cable trunking  
Elegant**

LE 80

 1J<sup>7)</sup>

|                        |           |
|------------------------|-----------|
| end                    | 8771      |
| connecting             | 8772      |
| bending                | 8773      |
| branching              | 8774      |
| Internal corner        | 8775      |
| External corner        | 8776      |
| bending radius         | 8773R     |
| branching radius       | 8774R     |
| Internal corner radius | 8775R     |
| External corner radius | 8776R     |
| grommet                | 8777      |
|                        | 8778      |
|                        | 8779      |
| Trough elevated        | 8777Z     |
|                        | 8778Z     |
|                        | 8779Z     |
| branching transition   | 8777/60   |
|                        | 8777/40   |
| spacer                 | RLE 80    |
| blind                  | ZPNE80    |
|                        | ZPNE80x20 |

**Cable trunking  
Elegant**

LE 100

 1J<sup>7)</sup>

|                        |       |
|------------------------|-------|
| end                    | 8781  |
| connecting             | 8782  |
| bending                | 8783  |
| branching              | 8784  |
| Internal corner        | 8785  |
| External corner        | 8786  |
| bending radius         | 8783R |
| branching radius       | 8784R |
| Internal corner radius | 8785R |
| External corner radius | 8786R |
| grommet                | 8787  |
|                        | 8788  |
|                        | 8789  |
| Trough elevated        | 8787Z |

|                           |           |                  |                        |              |
|---------------------------|-----------|------------------|------------------------|--------------|
|                           |           |                  |                        | 8788Z        |
|                           |           |                  |                        | 8789Z        |
|                           |           |                  | branching transition   | 8787/80      |
|                           |           |                  |                        | 8787/60      |
|                           |           |                  |                        | 8787/40      |
|                           |           |                  | spacer                 | RLE 100      |
|                           |           |                  | blind                  | ZPNE100      |
|                           |           |                  |                        | ZPNE100x20   |
| Cable trunking            | EK 100x40 | 2J <sup>8)</sup> | end                    | 8521         |
|                           |           |                  | connecting             | 8522         |
|                           |           |                  | bending                | 8523         |
|                           |           |                  | branching              | 8524, 8524/5 |
|                           |           |                  | Internal corner        | 8525         |
|                           |           |                  | External corner        | 8526         |
|                           |           |                  | bending radius         | 8523R        |
|                           |           |                  | branching radius       | 8524R        |
|                           |           |                  | Internal corner radius | 8525R        |
|                           |           |                  | External corner radius | 8526R        |
|                           |           |                  | trough                 | 8527         |
|                           |           |                  |                        | 8528         |
|                           |           |                  |                        | 8529         |
|                           |           |                  | Trough elevated        | 8527Z        |
|                           |           |                  |                        | 8528Z        |
|                           |           |                  |                        | 8529Z        |
|                           |           |                  | spacer                 | REK 100x40   |
|                           |           |                  | partition walls        | PEK 40       |
| Cable trunking            | EK 120x40 | 2J <sup>8)</sup> | end                    | 8531         |
|                           |           |                  | connecting             | 8532         |
|                           |           |                  | bending                | 8533         |
|                           |           |                  | branching              | 8534         |
|                           |           |                  | Internal corner        | 8535         |
|                           |           |                  | External corner        | 8536         |
|                           |           |                  | bending radius         | 8533R        |
|                           |           |                  | branching radius       | 8534R        |
|                           |           |                  | Internal corner radius | 8535R        |
|                           |           |                  | External corner radius | 8536R        |
|                           |           |                  | trough                 | 8537         |
|                           |           |                  |                        | 8538         |
|                           |           |                  |                        | 8539         |
|                           |           |                  | Trough elevated        | 8537Z        |
|                           |           |                  |                        | 8538Z        |
|                           |           |                  |                        | 8539Z        |
|                           |           |                  | spacer                 | REK 120x40   |
|                           |           |                  | partition walls        | PEK 40       |
| Cable trunking<br>Elegant | EKE 60x60 | 2J <sup>8)</sup> | end                    | 8541         |
|                           |           |                  | connecting             | 8542         |
|                           |           |                  | bending                | 8543         |
|                           |           |                  | branching              | 8544         |
|                           |           |                  | Internal corner        | 8545         |



|                 |         |
|-----------------|---------|
| External corner | 8546    |
| trough          | 8547    |
|                 | 8548    |
|                 | 8549    |
| Trough elevated | 8547Z   |
|                 | 8548Z   |
|                 | 8549Z   |
| partition walls | PEKE 60 |
|                 | PEK 60  |

|                           |            |                  |                        |          |
|---------------------------|------------|------------------|------------------------|----------|
| Cable trunking<br>Elegant | EKE 100x60 | 2J <sup>8)</sup> | end                    | 8551     |
|                           |            |                  | connecting             | 8552     |
|                           |            |                  | bending                | 8553     |
|                           |            |                  | branching              | 8554     |
|                           |            |                  | Internal corner        | 8555     |
|                           |            |                  | External corner        | 8556     |
|                           |            |                  | trough                 | 8557     |
|                           |            |                  |                        | 8558     |
|                           |            |                  |                        | 8559     |
|                           |            |                  | Trough elevated        | 8557Z    |
|                           |            |                  |                        | 8558Z    |
|                           |            |                  |                        | 8559Z    |
|                           |            |                  | cover apparatus single | 8550-11  |
|                           |            |                  | cover apparatus double | 8550-12  |
|                           |            |                  | cover apparatus triple | 8550-13  |
|                           |            |                  | spacer                 | REKE 100 |

|                           |            |                  |                        |           |
|---------------------------|------------|------------------|------------------------|-----------|
| Cable trunking<br>Elegant | EKE 140x60 | 2J <sup>8)</sup> | end                    | 8561      |
|                           |            |                  | connecting             | 8562      |
|                           |            |                  | bending                | 8563      |
|                           |            |                  | branching              | 8564      |
|                           |            |                  | Internal corner        | 8565      |
|                           |            |                  | External corner        | 8566      |
|                           |            |                  | trough                 | 8567      |
|                           |            |                  |                        | 8568      |
|                           |            |                  |                        | 8569      |
|                           |            |                  | Trough elevated        | 8567Z     |
|                           |            |                  |                        | 8568Z     |
|                           |            |                  |                        | 8569Z     |
|                           |            |                  | cover apparatus single | 8560-11   |
|                           |            |                  | cover apparatus double | 8560-12   |
|                           |            |                  | cover apparatus triple | 8560-13   |
|                           |            |                  |                        | 8560-11/1 |
|                           |            |                  |                        | 8560-12/1 |
|                           |            |                  |                        | 8560-13/1 |
|                           |            |                  | spacer                 | REKE 140  |

|                           |            |                  |            |      |
|---------------------------|------------|------------------|------------|------|
| Cable trunking<br>Elegant | EKE 180x60 | 2J <sup>8)</sup> | end        | 8571 |
|                           |            |                  | connecting | 8572 |
|                           |            |                  | bending    | 8573 |

|                |            |                    |                        |             |
|----------------|------------|--------------------|------------------------|-------------|
|                |            |                    | branching              | 8574        |
|                |            |                    | Internal corner        | 8575        |
|                |            |                    | External corner        | 8576        |
|                |            |                    | trough                 | 8577        |
|                |            |                    |                        | 8578        |
|                |            |                    |                        | 8579        |
|                |            |                    | Trough elevated        | 8577Z       |
|                |            |                    |                        | 8578Z       |
|                |            |                    |                        | 8579Z       |
|                |            |                    | spacer                 | REKE 180    |
|                |            |                    | cover apparatus single | 8570-11     |
|                |            |                    | cover apparatus double | 8570-12     |
|                |            |                    | cover apparatus triple | 8570-13     |
|                |            |                    |                        | 8570-11/1   |
|                |            |                    |                        | 8570-12/1   |
|                |            |                    |                        | 8570-13/1   |
|                |            |                    | spacer                 | REKE 60     |
| Cable trunking | EKD 80x40  | 0,5J <sup>5)</sup> | end                    | 8501        |
|                |            |                    | connecting             | 8502        |
|                |            |                    | bending                | 8503        |
|                |            |                    | branching              | 8504        |
|                |            |                    | branching              | 8504/EKD    |
|                |            |                    | Internal corner        | 8505        |
|                |            |                    | External corner        | 8506        |
|                |            |                    | bending radius         | 8503R       |
|                |            |                    | branching radius       | 8504R       |
|                |            |                    | Internal corner radius | 8505R       |
|                |            |                    | External corner radius | 8506R       |
|                |            |                    | spacer                 | REKO 80x40  |
|                |            |                    | partition walls        | PEKD 40     |
| Cable trunking | EKD 100x40 | 0,5J <sup>5)</sup> | end                    | 8511        |
|                |            |                    | connecting             | 8512        |
|                |            |                    | bending                | 8513        |
|                |            |                    | branching              | 8514        |
|                |            |                    | branching              | 8514/EKD    |
|                |            |                    | Internal corner        | 8515        |
|                |            |                    | External corner        | 8516        |
|                |            |                    | bending radius         | 8513R       |
|                |            |                    | branching radius       | 8514R       |
|                |            |                    | Internal corner radius | 8515R       |
|                |            |                    | External corner radius | 8516R       |
|                |            |                    | spacer                 | REKO 100x40 |
|                |            |                    | partition walls        | PEKD 40     |
| Cable trunking | EKD 120x40 | 0,5J <sup>5)</sup> | end                    | 8581        |
|                |            |                    | connecting             | 8582        |
|                |            |                    | bending                | 8583        |

|                        |             |
|------------------------|-------------|
| branching              | 8584        |
| branching              | 8584/EKD    |
| Internal corner        | 8585        |
| External corner        | 8586        |
| bending radius         | 8583R       |
| branching radius       | 8584R       |
| Internal corner radius | 8585R       |
| External corner radius | 8586R       |
| spacer                 | REKO 120x40 |
| partition walls        | PEKD 40     |

|                 |           |                  |                 |        |
|-----------------|-----------|------------------|-----------------|--------|
| Cable trunking  | PK 110x70 | 1J <sup>9)</sup> | end             | 8421   |
|                 |           |                  | connecting      | 8422K  |
|                 |           |                  |                 | 8422V  |
|                 |           |                  | bending         | 8423   |
|                 |           |                  |                 | 8423K  |
|                 |           |                  | branching       | 8424   |
|                 |           |                  |                 | 8423KT |
|                 |           |                  | Internal corner | 8425   |
|                 |           |                  |                 | 8425K  |
|                 |           |                  | External corner | 8426   |
|                 |           |                  |                 | 8426K  |
|                 |           |                  | trough          | 8427   |
|                 |           |                  |                 | 8428   |
|                 |           |                  |                 | 8429   |
|                 |           |                  | Trough elevated | 8427Z  |
|                 |           |                  |                 | 8428Z  |
|                 | 8429Z     |                  |                 |        |
| partition walls | PPK 70    |                  |                 |        |
| covering frame  | 8420-11   |                  |                 |        |
|                 | 8420-12   |                  |                 |        |
|                 | 8420-13   |                  |                 |        |

|                |             |                  |                 |         |
|----------------|-------------|------------------|-----------------|---------|
| Cable trunking | PK 110x70 D | 1J <sup>9)</sup> | end             | 8451    |
|                |             |                  | connecting      | 8452    |
|                |             |                  | bending         | 8453    |
|                |             |                  | branching       | 8454    |
|                |             |                  | Internal corner | 8455    |
|                |             |                  | External corner | 8456    |
|                |             |                  | trough          | 8457    |
|                |             |                  |                 | 8458    |
|                |             |                  |                 | 8459    |
|                |             |                  | Trough elevated | 8457Z   |
|                |             |                  |                 | 8458Z   |
|                |             |                  |                 | 8459Z   |
|                |             |                  | trough          | PKUS 60 |
|                |             |                  | apparatus pad   | 8450-11 |
|                |             |                  |                 | 8450-12 |
|                |             |                  |                 | 8450-13 |

|                |           |                  |            |       |
|----------------|-----------|------------------|------------|-------|
| Cable trunking | PK 140x70 | 1J <sup>9)</sup> | end        | 8431  |
|                |           |                  | connecting | 8432K |

|                |             |                  |                 |           |
|----------------|-------------|------------------|-----------------|-----------|
|                |             |                  | bending         | 8433K     |
|                |             |                  | branching       | 8433KT    |
|                |             |                  | Internal corner | 8435K     |
|                |             |                  | External corner | 8436K     |
|                |             |                  | trough          | 8437      |
|                |             |                  |                 | 8438      |
|                |             |                  |                 | 8439      |
|                |             |                  | Trough elevated | 8437Z     |
|                |             |                  |                 | 8438Z     |
|                |             |                  |                 | 8439Z     |
|                |             |                  | partition walls | PPK 70    |
|                |             |                  | covering frame  | 8420-11   |
|                |             |                  |                 | 8420-12   |
|                |             |                  |                 | 8420-13   |
| Cable trunking | PK 140x70 D | 1J <sup>9)</sup> | end             | 8461      |
|                |             |                  | connecting      | 8462      |
|                |             |                  | bending         | 8463      |
|                |             |                  | branching       | 8464      |
|                |             |                  | Internal corner | 8465      |
|                |             |                  | External corner | 8466      |
|                |             |                  | trough          | 8467      |
|                |             |                  |                 | 8468      |
|                |             |                  |                 | 8469      |
|                |             |                  | Trough elevated | 8467Z     |
|                |             |                  |                 | 8468Z     |
|                |             |                  |                 | 8469Z     |
|                |             |                  | apparatus pad   | 8440-11   |
|                |             |                  |                 | 8440-12   |
|                |             |                  |                 | 8440-13   |
|                |             |                  |                 | 8440-11/1 |
|                |             |                  |                 | 8440-12/1 |
|                |             |                  |                 | 8440-13/1 |
| Cable trunking | PK 170x70   | 1J <sup>9)</sup> | end             | 8411      |
|                |             |                  | connecting      | 8412      |
|                |             |                  | bending         | 8413      |
|                |             |                  | branching       | 8414      |
|                |             |                  | Internal corner | 8415      |
|                |             |                  | External corner | 8416      |
|                |             |                  | trough          | 8417      |
|                |             |                  |                 | 8418      |
|                |             |                  |                 | 8419      |
|                |             |                  | Trough elevated | 8417Z     |
|                |             |                  |                 | 8418Z     |
|                |             |                  |                 | 8419Z     |
|                |             |                  | apparatus pad   | 8440-11   |
|                |             |                  |                 | 8440-12   |
|                |             |                  |                 | 8440-13   |
|                |             |                  |                 | 8440-11/1 |
|                |             |                  |                 | 8440-12/1 |
|                |             |                  |                 | 8440-13/1 |

|                      |             |                  |                            |            |                  |            |      |
|----------------------|-------------|------------------|----------------------------|------------|------------------|------------|------|
| Cable trunking       | PK 170x70 D | 1J <sup>9)</sup> | end                        | 8441       |                  |            |      |
|                      |             |                  | connecting                 | 8442       |                  |            |      |
|                      |             |                  | bending                    | 8443       |                  |            |      |
|                      |             |                  | branching                  | 8444       |                  |            |      |
|                      |             |                  | Internal corner            | 8445       |                  |            |      |
|                      |             |                  | External corner            | 8446       |                  |            |      |
|                      |             |                  | trough                     | 8447       |                  |            |      |
|                      |             |                  |                            | 8448       |                  |            |      |
|                      |             |                  |                            | 8449       |                  |            |      |
|                      |             |                  | Trough elevated            | 8447Z      |                  |            |      |
|                      |             |                  |                            | 8448Z      |                  |            |      |
|                      |             |                  |                            | 8449Z      |                  |            |      |
|                      |             |                  |                            | 8440-11    |                  |            |      |
|                      |             |                  |                            | 8440-12    |                  |            |      |
|                      |             |                  | apparatus pad              | 8440-13    |                  |            |      |
| Cable trunking       | PK 160x65 D | 1J <sup>9)</sup> | end                        | 8481       |                  |            |      |
|                      |             |                  | connecting                 | 8482       |                  |            |      |
|                      |             |                  | bending                    | 8483       |                  |            |      |
|                      |             |                  | branching                  | 8484       |                  |            |      |
|                      |             |                  | Internal corner            | 8485       |                  |            |      |
|                      |             |                  | External corner            | 8486       |                  |            |      |
|                      |             |                  | trough                     | 8487       |                  |            |      |
|                      |             |                  |                            | 8488       |                  |            |      |
|                      |             |                  |                            | 8489       |                  |            |      |
|                      |             |                  | Trough elevated            | 8487Z      |                  |            |      |
|                      |             |                  |                            | 8488Z      |                  |            |      |
|                      |             |                  |                            | 8489Z      |                  |            |      |
|                      |             |                  | cover of parapet. trunking | VPK 45     |                  |            |      |
|                      |             |                  | Cable trunking             | PK 90x55 D | 1J <sup>9)</sup> | end        | 8401 |
|                      |             |                  |                            |            |                  | connecting | 8402 |
| bending              | 8403        |                  |                            |            |                  |            |      |
| branching            | 8404        |                  |                            |            |                  |            |      |
| Internal corner      | 8405        |                  |                            |            |                  |            |      |
| External corner      | 8406        |                  |                            |            |                  |            |      |
| trough               | 8407        |                  |                            |            |                  |            |      |
|                      | 8408        |                  |                            |            |                  |            |      |
|                      | 8409        |                  |                            |            |                  |            |      |
| Trough elevated      | 8407Z       |                  |                            |            |                  |            |      |
|                      | 8408Z       |                  |                            |            |                  |            |      |
|                      | 8409Z       |                  |                            |            |                  |            |      |
| branching transition | 8404/160    |                  |                            |            |                  |            |      |
|                      | 8404/210    |                  |                            |            |                  |            |      |
| Cable trunking       | PK 120x55 D | 1J <sup>9)</sup> |                            |            |                  | end        | 8471 |
|                      |             |                  | connecting                 | 8472       |                  |            |      |
|                      |             |                  | bending                    | 8473       |                  |            |      |
|                      |             |                  | branching                  | 8474       |                  |            |      |
|                      |             |                  | Internal corner            | 8475       |                  |            |      |
|                      |             |                  | External corner            | 8476       |                  |            |      |
|                      |             |                  |                            |            |                  |            |      |

|                |             |                  |                      |          |
|----------------|-------------|------------------|----------------------|----------|
|                |             |                  | trough               | 8477     |
|                |             |                  |                      | 8478     |
|                |             |                  |                      | 8479     |
|                |             |                  | Trough elevated      | 8477Z    |
|                |             |                  |                      | 8478Z    |
|                |             |                  |                      | 8479Z    |
| Cable trunking | PK 200x70 D | 1J <sup>9)</sup> | end                  | 8491     |
|                | PK 210x70 D | 1J <sup>9)</sup> | connecting           | 8492     |
|                |             |                  | bending              | 8493     |
|                |             |                  | branching            | 8494     |
|                |             |                  | Internal corner      | 8495     |
|                |             |                  | External corner      | 8496     |
|                |             |                  | trough               | 8497     |
|                |             |                  |                      | 8498     |
|                |             |                  |                      | 8499     |
|                |             |                  | Trough elevated      | 8497Z    |
|                |             |                  |                      | 8498Z    |
|                |             |                  |                      | 8499Z    |
|                |             |                  | branching transition | 8404/160 |
|                |             |                  |                      | 8404/210 |
|                |             |                  |                      | 8450-11  |
|                |             |                  |                      | 8450-12  |
|                |             |                  | apparatus pad        | 8450-13  |
| Cable trunking | PK 110X65 D | 1J <sup>9)</sup> | end                  | 8211     |
|                |             |                  | connecting           | 8212     |
|                |             |                  | bending              | 8213     |
|                |             |                  | branching            | 8214     |
|                |             |                  | Internal corner      | 8215     |
|                |             |                  | External corner      | 8216     |
|                |             |                  | trough               | 8217     |
| Cable trunking | PK 130X65 D | 1J <sup>9)</sup> | end                  | 8221     |
|                |             |                  | connecting           | 8222     |
|                |             |                  | bending              | 8223     |
|                |             |                  | branching            | 8224     |
|                |             |                  | Internal corner      | 8225     |
|                |             |                  | External corner      | 8226     |
|                |             |                  | trough               | 8227     |
| Cable trunking | PK 170X65 D | 1J <sup>9)</sup> | end                  | 8231     |
|                |             |                  | connecting           | 8232     |
|                |             |                  | bending              | 8233     |
|                |             |                  | branching            | 8234     |
|                |             |                  | Internal corner      | 8235     |
|                |             |                  | External corner      | 8236     |
|                |             |                  | trough               | 8237     |

Profile PVC 100x100

|                |       |                                    |                             |       |
|----------------|-------|------------------------------------|-----------------------------|-------|
| Cable trunking | LO 35 | Bílá 0,5J <sup>1)</sup><br>Šedá 2J | end                         | 8831  |
|                |       |                                    | connecting                  | 8832  |
|                |       |                                    | bending                     | 8833  |
|                |       |                                    | branching                   | 8834  |
|                |       |                                    | branching transition        | 8835  |
|                |       |                                    | Internal corner             | 8836  |
|                |       |                                    | bending radius              | 8833R |
|                |       |                                    | branching radius            | 8834R |
|                |       |                                    | branching transition radius | 8835R |
|                |       |                                    | Internal corner radius      | 8836R |
|                |       |                                    | trough                      | 8837  |
|                |       |                                    |                             | 8838  |
|                |       |                                    |                             | 8839  |
|                |       |                                    | Trough elevated             | 8837Z |
|                |       |                                    |                             | 8838Z |
|                | 8839Z |                                    |                             |       |
| Cable trunking | LO 50 | Bílá 0,5J <sup>1)</sup><br>Šedá 2J | end                         | 8841  |
|                |       |                                    | connecting                  | 8842  |
|                |       |                                    | bending                     | 8843  |
|                |       |                                    | branching                   | 8844  |
|                |       |                                    | branching transition        | 8845  |
|                |       |                                    | Internal corner             | 8846  |
|                |       |                                    | bending radius              | 8843R |
|                |       |                                    | branching radius            | 8844R |
|                |       |                                    | branching transition radius | 8845R |
|                |       |                                    | Internal corner radius      | 8846R |
|                |       |                                    | trough                      | 8847  |
|                |       |                                    |                             | 8848  |
|                |       |                                    |                             | 8849  |
|                |       |                                    | Trough elevated             | 8847Z |
|                |       |                                    |                             | 8848Z |
|                | 8849Z |                                    |                             |       |
| Cable trunking | LO 70 | Bílá 0,5J <sup>1)</sup><br>Šedá 2J | end                         | 8881  |
|                |       |                                    | connecting                  | 8882  |
|                |       |                                    | bending                     | 8883  |
|                |       |                                    | branching                   | 8884  |
|                |       |                                    | Internal corner             | 8885  |
|                |       |                                    | External corner             | 8886  |
|                |       |                                    | bending radius              | 8883R |
|                |       |                                    | branching radius            | 8884R |
|                |       |                                    | branching transition radius | 8885R |
|                |       |                                    | Internal corner radius      | 8886R |
|                |       |                                    | trough                      | 8887  |

|                |              |                                    |                             |           |
|----------------|--------------|------------------------------------|-----------------------------|-----------|
|                |              |                                    |                             | 8888      |
|                |              |                                    |                             | 8889      |
|                |              |                                    | Trough elevated             | 8887Z     |
|                |              |                                    |                             | 8888Z     |
|                |              |                                    |                             | 8889Z     |
| Cable trunking | LO 75        | Bílá 0,5J <sup>1)</sup><br>Šedá 2J | end                         | 8871      |
|                |              |                                    | connecting                  | 8872      |
|                |              |                                    | bending                     | 8873      |
|                |              |                                    | branching                   | 8874      |
|                |              |                                    | Internal corner             | 8875      |
|                |              |                                    | External corner             | 8876      |
|                |              |                                    | bending radius              | 8873R     |
|                |              |                                    | branching radius            | 8874R     |
|                |              |                                    | branching transition radius | 8875R     |
|                |              |                                    | Internal corner radius      | 8876R     |
|                |              |                                    | trough                      | 8877      |
|                |              |                                    |                             | 8878      |
|                |              |                                    |                             | 8879      |
|                |              |                                    | Trough elevated             | 8877Z     |
|                |              |                                    |                             | 8878Z     |
|                |              |                                    |                             | 8879Z     |
| Cable trunking | LP 35        | 2J <sup>10)</sup>                  | end                         | 8861      |
|                |              |                                    | endleft                     | 8861L     |
|                |              |                                    | endright                    | 8861 P    |
|                |              |                                    | connecting                  | 8862      |
|                |              |                                    | bending                     | 8863      |
|                |              |                                    | branching                   | 8864      |
|                |              |                                    | branching transition        | 8864/1    |
|                |              |                                    | Internal corner             | 8865      |
|                |              |                                    | External corner             | 8866      |
|                |              |                                    | bending radius              | 8863R     |
|                |              |                                    | branching radius            | 8864R     |
|                |              |                                    | branching transition radius | 8864/1R   |
|                |              |                                    | Internal corner radius      | 8865R     |
|                |              |                                    | External corner radius      | 8866R     |
|                |              |                                    | trough                      | 8867      |
|                |              |                                    |                             | 8868      |
|                |              |                                    |                             | 8869      |
|                |              |                                    | Trough elevated             | 8867Z     |
|                |              |                                    |                             | 8868Z     |
|                |              |                                    |                             | 8869Z     |
| Cable trunking | LP 35/I      | 2J <sup>10)</sup>                  |                             |           |
| Cable trunking | LP 80x25     | 2J <sup>10)</sup>                  | end                         | 8821L     |
|                | LPK 80x25    | 2J <sup>10)</sup>                  |                             | 8821P     |
|                | LPK 80X25/IB | 2J <sup>10)</sup>                  | connecting                  | 8822      |
|                | LPK 80X25/ID | 2J <sup>10)</sup>                  | bending                     | 8823/13 L |
|                |              |                                    |                             | 8823/13 P |



|                        |   |
|------------------------|---|
| branching              | 8824  |
| Internal corner        | 8825  |
| External corner        | 8826  |
| bending radius         | 8823/13LR<br>8823/13PR                              |
| branching radius       | 8824R   |
| Internal corner radius | 8825R   |
| External corner radius | 8826R   |
| trough                 | 8827<br>8828<br>8829                                |
| Trough elevated        | 8827Z<br>8828Z<br>8829Z                             |
| branching transition   | 8824/12<br>8824/40<br>8824/41<br>8824/43<br>8824/44 |

|                |       |                   |                             |                         |
|----------------|-------|-------------------|-----------------------------|-------------------------|
| Cable trunking | LR 30 | 2J <sup>10)</sup> | end                         | 8851                    |
|                |       |                   | connecting                  | 8852                    |
|                |       |                   | bending                     | 8853                    |
|                |       |                   | branching                   | 8854                    |
|                |       |                   | branching transition        | 8854/1                  |
|                |       |                   | Internal corner             | 8855                    |
|                |       |                   | Internal corner             | 8855/3                  |
|                |       |                   | External corner             | 8856                    |
|                |       |                   | branching radius            | 8853R                   |
|                |       |                   | branching radius            | 8854R                   |
|                |       |                   | branching transition radius | 8854/1R                 |
|                |       |                   | Internal corner radius      | 8855/3R<br>8855R        |
|                |       |                   | External corner radius      | 8856R                   |
|                |       |                   | trough                      | 8857<br>8858<br>8859    |
|                |       |                   | Trough elevated             | 8857Z<br>8858Z<br>8859Z |

|                |      |                   |                 |        |
|----------------|------|-------------------|-----------------|--------|
| Cable trunking | L 20 | 2J <sup>11)</sup> | end             | L20 KO |
|                |      |                   | connecting      | L20 SP |
|                |      |                   | bending         | L20 OH |
|                |      |                   | branching       | L20 OD |
|                |      |                   | Internal corner | L20 RO |

|                |      |                   |  |  |
|----------------|------|-------------------|--|--|
| Cable trunking | L 27 | 2J <sup>11)</sup> |  |  |
|----------------|------|-------------------|--|--|

|                |      |                   |     |        |
|----------------|------|-------------------|-----|--------|
| Cable trunking | L 40 | 2J <sup>11)</sup> | end | L40 KO |
|----------------|------|-------------------|-----|--------|

|                |      |                  |                 |        |
|----------------|------|------------------|-----------------|--------|
|                |      |                  | connecting      | L40 SP |
|                |      |                  | bending         | L40 OH |
|                |      |                  | branching       | L40 OD |
|                |      |                  | Internal corner | L40 RO |
| Cable trunking | L 70 | 2J <sup>11</sup> | end             | L70 KO |
|                |      |                  | connecting      | L70 SP |
|                |      |                  | bending         | L70 OH |
|                |      |                  | branching       | L70 OD |
|                |      |                  | Internal corner | L70 RO |


### Accessories

| Name                                   | Type   | For trunkings   |
|--|--|---|
| box apparatus                          | KP EKE<br>KP EKE/1<br>KP 80 PK   | EKE 100x60<br><br>PK 110x65 D<br>PK 130x65<br>PK 170x65<br>EKE 140x60 |
| box apparatus                          | KP-EKE<br>KP EKE/1   |   |
| apparatus carrier                      | PN EKE   |   |
| box apparatus                          | KP EKE<br>KP EKE/1   | EKE 180x60  |
| apparatus carrier                      | PN EKE   |   |
| box apparatus<br>box                   | PK 60/30<br>PK 60  | PK 110X70   |
| box apparatus                          | KP PK<br>KP PK/1   | PK 110X70 D   |
| box<br>box apparatus                   | PKP 60/30<br>PN 080/45-1<br>PN 080/45-2<br>PN 080/45-3<br>PN 080/45-4<br>PN 080/45-5 |   |
| box apparatus                          | KP PK<br>KP PK/1   | PK 140X70   |
| box<br>box apparatus                   | PKP 60/30<br>KP-PK<br>KP PK/1  | PK 140X70 D   |
| apparatus carrier<br>apparatus carrier | PN PK<br>PN 106/45-1<br>PN 106/45-2<br>PN 106/45-3<br>PN 106/45-4<br>PN 106/45-5     |   |
| apparatus carrier                      | PN 106/45-1<br>PN 106/45-2   | PK 170X70 D   |

|                     |                |       |  |
|---------------------|----------------|-------|--|
|                     | PN 106/45-3    |       |  |
|                     | PN 106/45-4    |       |  |
|                     | PN 106/45-5    |       |  |
| apparatus carrier   | PN PK          |       |  |
| apparatus<br>spacer | R 8420-14      |       |  |
| Screening trunking  | SK 40x20       |       |  |
| Screening trunking  | SK 40x33       |       |  |
| Clamp               | PSK 1          |       |  |
| Connecting wire     | PLSK           |       |  |
| Wall                | PEP 60         |       |  |
| Wall                | PEP 60/K 70/60 |       |  |
| Wall                | PKS 70/60      |       |  |
| Cover               | VLK 80/R       | IP 40 |  |
| Cover               | VLK 80/T       | IP 40 |  |
| Cover               | VLK 80/2R      | IP 40 |  |

Note IP protection: Trunkings and channels tested with relevant accessories



**KOPOS KOLÍN a.s.**   
Havlíčková 432, 280 02 Kolín  
IČ: 616 72 971 DIČ: CZ61672971  
tel: 321 730 111 [www.kopos.cz](http://www.kopos.cz)

