

Product sheet



LEGRAND

Flush mounting metal socket Green'up Access - IP55-
IK10 - German standard

REF. 077856 | EAN. 3414970321275

> [Visit e-catalogue](#)

Product characteristics

- Green'up Access sockets 16 A - 230 V - 16 A EV - for electric vehicles - Used for safely charging rechargeable electric and hybrid vehicles which take Mode 2 cord (compatible with Mode 1) - Connected to the consumer panel via one 3 x 2.5 mm² dedicated line (1 line per socket) protected by 30 mA - 20 A C curve, type A or Hpi RCBO (or 30 mA type A or HPI RCCB + 20 A C curve circuit breaker) - Recomm ended installation height : 1.30 m from the floor - Suitable for residential and workplace use
- Mode 1 and Mode 2 sockets - 16 A EV - Heavy - duty mechanisms with silvered contacts - single-phase sockets - screw connection - 230 V - Supplied with base Cat.No 0 904 78 for hanging up the vehicle charging cable control box - For charging 1 vehicle - Conform to IEC 60 - 884 - 11P 55 - IK 10 flush-mounting - metal socket - Suitable for installation In =rivate houses, lock - up garages, parking lots, etc - Supplied complete with plate and support - Mounting In =-gang Batibox flush-mounting box depth 50 mm - Can be surface mounted with box Cat.No 0 778 90 - Dimensions (H x W x D) : 110 x 110 x 13.5 mm - German standard socket outlet

Documentation

TECHNICAL DOCUMENTATION

 F03321EN-03.pdf | PDF (0.88Mo)

 F03321FR-03.pdf | PDF (0.85Mo)

 LE06549AD.pdf | PDF (1.08Mo)

Agreements & Certificates

 OC / CB-FR_716168 | (0.37Mo)

CATALOGUE PAGE & OTHERS

 ex223001_0514.pdf | PDF (0.19Mo)

 ex223001_0513.pdf | PDF (0.11Mo)