



ÖVE-CERTIFICATE

including the entitlement to use the Austrian Safety Mark



Certificate No.: **43-222-06**

Valid from: 2023 07 31
until: 2024 06 03

The Austrian Electrotechnical Association (OVE) hereby grants the right to the company mentioned below to label the listed products with the Austrian Safety Mark.

Certificate holder: **PC Electric Ges.m.b.H.**
Diesseits 145
4973 St. Martin im Innkreis
Austria

Product: **Fixed socket outlets for industrial purposes**

The products submitted by the applicant were type tested in accordance with the requirements of the technical standards and specifications listed in this certificate. OVE certifies the conformity of the listed products and those products manufactured strictly identical to the submitted ones (EN ISO/IEC 17067, Conformity Assessment Scheme Type 5).

The manufacturing process and the products are subject to ongoing surveillance based on harmonized European procedures. This certificate has been issued under the presumption and conditional on the fact that the certificate holder holds all necessary legal rights with regard to the product, presented for the testing and certification.

Results of testing are shown in file No(s): **TGM-VA EE 39291**

Österreichischer Verband für Elektrotechnik
Head of OVE Certification

M. Neugebauer
Digitally signed by M. Neugebauer
on behalf of T. Neumayer
Email=m.neugebauer@ove.at
Dipl.-Ing. T. Neumayer



Wien, 2023 07 31

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



Manufacturer:

PC Electric Ges.m.b.H.
Diesseits 145
4973 St. Martin im Innkreis
Austria

Factory location(s):

PC Electric Ges.m.b.H.
Diesseits 145
4973 St. Martin im Innkreis
Austria

Tested and certified according to:

ÖVE/ÖNORM EN 60309-1:2013-03-01
ÖVE/ÖNORM EN 60309-2:2013-03-01
OVE EN IEC 60309-1:2023-07-01
OVE EN IEC 60309-2:2023-07-01
IEC 60309-1:2021
IEC 60309-2:2021

This certificate is the basis for the EU Declaration of Conformity and the CE Marking by the manufacturer or his agent and shows the conformity of the certified product(s) with the listed standards as defined by the **EU Low-Voltage Directive 2014/35/EU**. For the presumption of conformity according to Art. 12 with the safety objectives according to Art. 3 of the Directive, transitional periods given in the Official Journal of the European Union have to be observed.

Product: Fixed socket outlets for industrial purposes

Type designation:

Rating:

113

Rated current: 16 A
2P+E
IP44 or IP44/IP54
wall mounted socket outlet
screw terminals

313

Rated current: 16 A
2P+E
IP44 or IP44/IP54
flanged socket outlet, straight
screw terminals

Trademark:

PCE / ELCEE / SIROX / METECEE

PCE / ELCEE / SIROX / METECEE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

413

Rated current: 16 A
2P+E
IP44 or IP44/IP54
flanged socket outlet, sloping
screw terminals

PCE / ELCEE / SIROX / METECEE

913

Rated current: 16 A
2P+E
IP44 or IP44/IP54
wall mounted socket outlet, two cable inlets
screw terminals

PCE / ELCEE / SIROX / METECEE

9213

Rated current: 16 A
2P+E
IP44 or IP44/IP54
wall mounted socket outlet with socket outlet for household
screw terminals

PCE / ELCEE / SIROX / METECEE

114

Rated current: 16 A
3P+E
IP44 or IP44/IP54
wall mounted socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

314

Rated current: 16 A
3P+E
IP44 or IP44/IP54
flanged socket outlet, straight
screw terminals

PCE / ELCEE / SIROX / METECEE

414

Rated current: 16 A
3P+E
IP44 or IP44/IP54
flanged socket outlet, sloping
screw terminals

PCE / ELCEE / SIROX / METECEE

914

Rated current: 16 A
3P+E
IP44 or IP44/IP54
wall mounted socket outlet, two cable inlets
screw terminals

PCE / ELCEE / SIROX / METECEE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

9214

Rated current: 16 A
3P+E
IP44 or IP44/IP54
wall mounted socket outlet with socket outlet for household
screw terminals

PCE / ELCEE / SIROX / METECEE

115

Rated current: 16 A
3P+N+E
IP44 or IP44/IP54
wall mounted socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

315

Rated current: 16 A
3P+N+E
IP44 or IP44/IP54
flanged socket outlet, straight
screw terminals

PCE / ELCEE / SIROX / METECEE

415

Rated current: 16 A
3P+N+E
IP44 or IP44/IP54
flanged socket outlet, sloping
screw terminals

PCE / ELCEE / SIROX / METECEE

915

Rated current: 16 A
3P+N+E
IP44 or IP44/IP54
wall mounted socket outlet, two cable inlets
screw terminals

PCE / ELCEE / SIROX / METECEE

9215

Rated current: 16 A
3P+N+E
IP44 or IP44/IP54
wall mounted socket outlet with socket outlet for household
screw terminals

PCE / ELCEE / SIROX / METECEE

1132

Rated current: 16 A
2P+E
IP67 or IP66/IP67
wall mounted socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

3132

Rated current: 16 A
2P+E
IP67 or IP66/IP67
flanged socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

4132

Rated current: 16 A
2P+E
IP67 or IP66/IP67
flanged socket outlet, sloping
screw terminals

PCE / ELCEE / SIROX / METECEE

1142

Rated current: 16 A
3P+E
IP67 or IP66/IP67
wall mounted socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

3142

Rated current: 16 A
3P+E
IP67 or IP66/IP67
flanged socket outlet, straight
screw terminals

PCE / ELCEE / SIROX / METECEE

4142

Rated current: 16 A
3P+E
IP67 or IP66/IP67
flanged socket outlet, sloping
screw terminals

PCE / ELCEE / SIROX / METECEE

1152

Rated current: 16 A
3P+N+E
IP67 or IP66/IP67
wall mounted socket outlet
screw terminals

PCE / ELCEE / SIROX / METECEE

3152

Rated current: 16 A
3P+N+E
IP67 or IP66/IP67
flanged socket outlet, straight
screw terminals

PCE / ELCEE / SIROX / METECEE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

4152

Rated current: 16 A
3P+N+E
IP67 or IP66/IP67
flanged socket outlet, sloping
screw terminals

PCE / ELCEE / SIROX / METECEE

113TT

Rated current: 16 A
2P+E
IP44 or IP44/IP54
wall mounted socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

313TT

Rated current: 16 A
2P+E
IP44 or IP44/IP54
flanged socket outlet, straight
screwless terminals

PCE / ELCEE / SIROX / METECEE

413TT

Rated current: 16 A
2P+E
IP44 or IP44/IP54
flanged socket outlet, sloping
screwless terminals

PCE / ELCEE / SIROX / METECEE

913TT

Rated current: 16 A
2P+E
IP44 or IP44/IP54
wall mounted socket outlet, two cable inlets
screwless terminals

PCE / ELCEE / SIROX / METECEE

9213TT

Rated current: 16 A
2P+E
IP44 or IP44/IP54
wall mounted socket outlet with socket outlet for household
screwless terminals

PCE / ELCEE / SIROX / METECEE

114TT

Rated current: 16 A
3P+E
IP44 or IP44/IP54
wall mounted socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

314TT

Rated current: 16 A
3P+E
IP44 or IP44/IP54
flanged socket outlet, straight
screwless terminals

PCE / ELCEE / SIROX / METECEE

414TT

Rated current: 16 A
3P+E
IP44 or IP44/IP54
flanged socket outlet, sloping
screwless terminals

PCE / ELCEE / SIROX / METECEE

914TT

Rated current: 16 A
3P+E
IP44 or IP44/IP54
wall mounted socket outlet, two cable inlets
screwless terminals

PCE / ELCEE / SIROX / METECEE

9214TT

Rated current: 16 A
3P+E
IP44 or IP44/IP54
wall mounted socket outlet with socket outlet for household
screwless terminals

PCE / ELCEE / SIROX / METECEE

115TT

Rated current: 16 A
3P+N+E
IP44 or IP44/IP54
wall mounted socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

315TT

Rated current: 16 A
3P+N+E
IP44 or IP44/IP54
flanged socket outlet, straight
screwless terminals

PCE / ELCEE / SIROX / METECEE

415TT

Rated current: 16 A
3P+N+E
IP44 or IP44/IP54
flanged socket outlet, sloping
screwless terminals

PCE / ELCEE / SIROX / METECEE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

915TT

Rated current: 16 A
3P+N+E
IP44 or IP44/IP54
wall mounted socket outlet, two cable inlets
screwless terminals

PCE / ELCEE / SIROX / METECEE

9215TT

Rated current: 16 A
3P+N+E
IP44 or IP44/IP54
wall mounted socket outlet with socket outlet for household
screwless terminals

PCE / ELCEE / SIROX / METECEE

1132TT

Rated current: 16 A
2P+E
IP67 or IP66/IP67
wall mounted socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

3132TT

Rated current: 16 A
2P+E
IP67 or IP66/IP67
flanged socket outlet, straight
screwless terminals

PCE / ELCEE / SIROX / METECEE

4132TT

Rated current: 16 A
3P+E
IP67 or IP66/IP67
flanged socket outlet, sloping
screwless terminals

PCE / ELCEE / SIROX / METECEE

1142TT

Rated current: 16 A
3P+E
IP67 or IP66/IP67
wall mounted socket outlet
screwless terminals

PCE / ELCEE / SIROX / METECEE

3142TT

Rated current: 16 A
3P+E
IP67 or IP66/IP67
flanged socket outlet, straight
screwless terminals

PCE / ELCEE / SIROX / METECEE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

4142TT

Rated current: 16 A

3P+E

IP67 or IP66/IP67

flanged socket outlet, sloping

screwless terminals

PCE / ELCEE / SIROX / METECEE

1152TT

Rated current: 16 A

3P+N+E

IP67 or IP66/IP67

wall mounted socket outlet

screwless terminals

PCE / ELCEE / SIROX / METECEE

3152TT

Rated current: 16 A

3P+N+E

IP67 or IP66/IP67

flanged socket outlet, straight

screwless terminals

PCE / ELCEE / SIROX / METECEE

4152TT

Rated current: 16 A

3P+N+E

IP67 or IP66/IP67

flanged socket outlet, sloping

screwless terminals

PCE / ELCEE / SIROX / METECEE

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.



Akkreditierung Austria
A
0902
ISO/IEC 17065

| 1 | 1 | 5 | 2 | - | 6 | TT | * | * | * | * | v |
|--|---|---|---|---|---|----|---|---|---|---|---|
| contacts | | | | | | | | | | | |
| blank uncoated contacts | | | | | | | | | | | |
| v nickel plated contacts | | | | | | | | | | | |
| auxiliary switch | | | | | | | | | | | |
| blank without auxiliary switch | | | | | | | | | | | |
| h with auxiliary switch (only for types 413.. and 4132..) | | | | | | | | | | | |
| colour | | | | | | | | | | | |
| blank indicating colour | | | | | | | | | | | |
| x midnight-series | | | | | | | | | | | |
| * reserved for additional colours | | | | | | | | | | | |
| lockable socket outlet | | | | | | | | | | | |
| f66 lockable (only for type 413..) | | | | | | | | | | | |
| blank standard | | | | | | | | | | | |
| wall housing | | | | | | | | | | | |
| blank standard housing | | | | | | | | | | | |
| k compact housing (only series 11*..) | | | | | | | | | | | |
| terminals | | | | | | | | | | | |
| TT screwless terminals | | | | | | | | | | | |
| blank screw terminals | | | | | | | | | | | |
| clock position of earthing contact | | | | | | | | | | | |
| 1 1h | | | | | | | | | | | |
| 2 2h | | | | | | | | | | | |
| 3 3h | | | | | | | | | | | |
| 4 4h | | | | | | | | | | | |
| 5 5h | | | | | | | | | | | |
| 6 6h | | | | | | | | | | | |
| 7 7h | | | | | | | | | | | |
| 9 9h | | | | | | | | | | | |
| 10 10h | | | | | | | | | | | |
| 11 11h | | | | | | | | | | | |
| 12 12h | | | | | | | | | | | |
| customer type | | | | | | | | | | | |
| - trademark PCE | | | | | | | | | | | |
| degree of protection | | | | | | | | | | | |
| blank IP44 or IP44/IP54 | | | | | | | | | | | |
| 1 IP44 or IP44/IP54 (only series 11*..) | | | | | | | | | | | |
| 2 IP67 or IP66/IP67 | | | | | | | | | | | |
| poles | | | | | | | | | | | |
| 3 3-poles | | | | | | | | | | | |
| 4 4-poles | | | | | | | | | | | |
| 5 5-poles | | | | | | | | | | | |
| rated current | | | | | | | | | | | |
| 1 16A | | | | | | | | | | | |
| basic type | | | | | | | | | | | |
| 1 Wall mounted socket outlet | | | | | | | | | | | |
| 3 Flanged socket outlet straight | | | | | | | | | | | |
| 4 Flanged socket outlet sloping | | | | | | | | | | | |
| 9 Wall mounted socket outlet (two cable inlets) | | | | | | | | | | | |
| 92 Wall mounted socket outlet with socket outlet for household | | | | | | | | | | | |

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

Typelist

| Type | Rated current [A] | Earthing contact pos. h | Rated operating voltage [V] | Frequency [Hz] | Insulation Voltage V |
|---|--------------------------------------|--|--------------------------------------|----------------|----------------------|
| 113 313 413 913 9213*) 1132 3132 4132 | 16 | 1 | Other ratings | Other ratings | 690 |
| | | 2 | >50 | >300 - 500 | 690 |
| | | 3 | >50 - 250 | DC | 690 |
| | | 4 | 100 - 130 | 50 and 60 | 690 |
| | | 6 | 200 - 250 | 50 and 60 | 690 |
| | | 7 | 480 - 500 | 50 and 60 | 690 |
| | | 9 | 380 - 415 | 50 and 60 | 690 |
| | | 10 | >50 | >100 - 300 | 690 |
| | | 12 | Supply from an isolating transformer | 50 and 60 | 690 |
| 114 314 414 914 9214**) 1142 3142 4142 | 16 | 1 | Other ratings | Other ratings | 690 |
| | | 2 | >50 | >300 - 500 | 690 |
| | | 3 | 380 440 | 50 60 | 690 |
| | | 4 | 100 - 130 | 50 and 60 | 690 |
| | | 5 | 600 - 690 | 50 and 60 | 690 |
| | | 6 | 380 - 415 | 50 and 60 | 690 |
| | | 7 | 480 - 500 | 50 and 60 | 690 |
| | | 9 | 200 - 250 | 50 and 60 | 690 |
| | | 10 | >50 | >100 - 300 | 690 |
| | | 11 | 440 - 460 | 60 | 690 |
| | | 12 | Supply from an isolating transformer | 50 and 60 | 690 |
| | | 115 315 415 915 9215***) 1152 3152 4152 | 16 | 1 | Other ratings |
| 2 | >50 | | | >300 - 500 | 690 |
| 3 | 220/380 250/440 | | | 50 60 | 690 |
| 4 | 57/100 - 75/130 | | | 50 and 60 | 690 |
| 5 | 347/600 - 400/690 | | | 50 and 60 | 690 |
| 6 | 200/346 - 240/415 | | | 50 and 60 | 690 |
| 7 | 277/480 - 288/500 | | | 50 and 60 | 690 |
| 9 | 120/208 - 144/250 | | | 50 and 60 | 690 |
| 10 | >50 | | | >100 - 300 | 690 |
| 11 | 250/440 - 265/460 | | | 60 | 690 |
| 12 | Supply from an isolating transformer | | | 50 and 60 | 690 |

*) only "earthing contact position 6h"

***) only "earthing contact position 9h"

***) only "earthing contact position 6h" and "earthing contact position 9h"

Additional component:

ts167 ●

| | | |
|----------------|---------------------------|-----------------------------------|
| ┌───┐ └───┘ | Colour | |
| | s | - black |
| ┌───┐ └───┘ | * | - reserved for additional colours |
| | Contact protection | |

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.

| Type | Rated current [A] | Earthing contact pos. h | Rated operating voltage [V] | Frequency [Hz] | Insulation Voltage V |
|--|--------------------------------------|---|--------------------------------------|----------------|----------------------------|
| 113TT 313TT 413TT 913TT 9213TT*) 1132TT 3132TT 4132TT | 16 | 1 | Other ratings | Other ratings | 690 |
| | | 2 | >50 | >300 - 500 | 690 |
| | | 3 | >50 - 250 | DC | 690 |
| | | 4 | 100 - 130 | 50 and 60 | 690 |
| | | 6 | 200 - 250 | 50 and 60 | 690 |
| | | 7 | 480 - 500 | 50 and 60 | 690 |
| | | 9 | 380 - 415 | 50 and 60 | 690 |
| | | 10 | >50 | >100 - 300 | 690 |
| | | 12 | Supply from an isolating transformer | 50 and 60 | 690 |
| | | 114TT 314TT 414TT 914TT 9214TT**) 1142TT 3142TT 4142TT | 16 | 1 | Other ratings |
| 2 | >50 | | | >300 - 500 | 690 |
| 3 | 380 440 | | | 50 60 | 690 |
| 4 | 100 - 130 | | | 50 and 60 | 690 |
| 5 | 600 - 690 | | | 50 and 60 | 690 |
| 6 | 380 - 415 | | | 50 and 60 | 690 |
| 7 | 480 - 500 | | | 50 and 60 | 690 |
| 9 | 200 - 250 | | | 50 and 60 | 690 |
| 10 | >50 | | | >100 - 300 | 690 |
| 11 | 440 - 460 | | | 60 | 690 |
| 12 | Supply from an isolating transformer | | | 50 and 60 | 690 |
| 115TT 315TT 415TT 915TT 9215TT***) 1152TT 3152TT 4152TT | 16 | | | 1 | Other ratings ^v |
| | | 2 | >50 | >300 - 500 | 690 |
| | | 3 | 220/380 250/440 | 50 60 | 690 |
| | | 4 | 57/100 - 75/130 | 50 and 60 | 690 |
| | | 5 | 347/600 - 400/690 | 50 and 60 | 690 |
| | | 6 | 200/346 - 240/415 | 50 and 60 | 690 |
| | | 7 | 277/480 - 288/500 | 50 and 60 | 690 |
| | | 9 | 120/208 - 144/250 | 50 and 60 | 690 |
| | | 10 | >50 | >100 - 300 | 690 |
| | | 11 | 250/440 - 265/460 | 60 | 690 |
| | | 12 | Supply from an isolating transformer | 50 and 60 | 690 |

*) only "earthing contact position 6h"

***) only "earthing contact position 9h"

***) only "earthing contact position 6h" and "earthing contact position 9h"

OVE Certification

Accredited by the Austrian National Accreditation Body as Certification Body for products within the scope as given in the official decree and published under <https://akkreditierung-austria.gv.at>.